

SEVO[®] 1230 Clean Agent Fire Suppression System

Protecting Your High Valued Assets



SEVO[®] SYSTEMS

Safe Environmental Choice

Introducing

3M Novec[™] 1230
Fire Protection Fluid

Applications



Art museums
Automobile
Cable spreading rooms
Clean rooms
Clinical/diagnostic equipment
Control rooms
Data Centers
Electric utility facilities
Generator and turbine enclosures
IT systems/software
Marine
Mix rooms
National archives
Platform
Pump stations
Satellite
Switch rooms
Train stations
Testing/imaging equipment
Transformer vaults
UPS rooms
Vintage libraries



3M™ Novec™ 1230 Fire Protection Fluid is the new generation in clean agent fire suppression. Meets today and tomorrow's industry concerns for safety, performance, and the environment.

Life Safety


With a life safety margin of 67-150%, Novec 1230 fluid is a higher than any other clean agent used in occupied spaces.

Performance


A quick 10 sec. Discharge to put out a class A, B, or C fire. With stored Novec 1230 fluid on site, it can be repressurized in less than an hour.

Environmental

Zero Ozone Depletion Potential, Global Warming Potential of **one**, and an atmospheric lifetime of **five days**.



**Protect with SEVO® 1230
System Design**



The SEVO® 1230 Fire Suppression System is designed for use with 3M™ Novec™ 1230 Fire Protection Fluid. SEVO offers engineered and pre-engineered systems with Novec 1230 fluid, plus all detection and control. SEVO 1230 is the long-term solution that will protect your life, your business, and the world.

*To learn more about SEVO® Systems
visit us at:*

www.sevosystems.com

Or Contact

SEVO® Systems Distributor:

SEVO® SYSTEMS

Safe Environmental Choice

14824 W. 107th Street
Lenexa, KS. 66215 USA
913.677.1112 or Fax: 913.384.5935
Info@sevosystems.com

